


CUSTOMER SERVICE

208 Main Road, Walmer, Port Elizabeth | +27 (0) 41 180 4000 | office@duoproducts.co.za

www.duoproducts.co.za





ROLLER BLINDS: LIGHT FILTERING, SCREENS, DIM OUT & BLOCK OUT

SIDE CONTROL



Try to pull blind down with the cord being as straight as possible



Never pull the blind down to its maximum length.

SPRING OPERATED



A little tug on the cord should get the tumblers to release, letting you guide the blind up or down to the desired position.



HOW TO CLEAN YOUR

ROLLER BLINDS



Regular vacuuming of your blinds, will take off a lot of strain from the extensive cleanup and keep your blinds from going dark, literally.

WHAT YOU'LL NEED:

- · Vacuum cleaner
- Water
- · Dish washing liquid
- Sponge pad
- · Lint-free cloth
- Gloves

STEP 1: Vacuum off any loose dust, to avoid soaking the dirt into the fabric while cleaning.

STEP 2: Mix your solution: 1 tablespoon of dish washing liquid to 4 cups of water and mix well

STEP 3: Don't forget your gloves. Dip your sponge into the solution, squeeze any excess liquid out and give the blinds a gentle scrub. Resist harsh scrubbing. Follow the grain of the fabric. Don't worry if the fabric becomes a bit sudsy. When you're satisfied with the results of the cleaning, wipe the soap off with a damp cloth. Dip the lint-free cloth in clean water (squeeze it to remove dripping water) and wipe off any extra soap on the blinds. Finally, let the blinds air dry.





VENETIAN BLINDS



At all times ensure that slats are tilted to the open position prior to pulling up or letting down.



Never attempt to force tilter-rod/cords to close further than it allows.



Hold draw cord at a $45^{\rm o}$ angle to the inside of the blind when pulling up or letting down. Keep under tension while doing this.



Pull both cords together when opening and closing to ensure the blinds move parallel to the sill.



Pull the cord to the outside to lock, pull to the inside to unlock.



HOW TO CLEAN YOUR

VENETIAN BLINDS



Frequently dust slats with a soft duster.



When necessary, wipe slats bottom and top with a soft damp cloth using a mild solution of dishwashing cleaning liquid.




Allow to dry with natural ventilation or fan.





+27 (0) 41 180 4000 | office@duoproducts.co.za



VERTICAL BLINDS



At all times ensure that vanes are tilted to the open position prior to pulling them open or closed.



When one or more of the vanes are out of alignment, use the tilt-chain to correct this by closing the vanes and pulling the tilt-chain until it makes a 'cling' sound - this should correct the alignment. Do not adjust the vanes by hand.



When drawing open, closing or tilting; ensure that neither vanes nor bottom chains are obstructed.



HOW TO CLEAN YOUR

VERTICAL BLINDS

Regular vacuuming of your blinds, will take off a lot of strain from the extensive cleanup and keep your blinds from going dark, literally.


WHAT YOU'LL NEED:


- Vacuum cleaner
- Water
- Dish washing liquid
- · Sponge pad
- · Lint-free cloth
- Gloves

STEP 1: Vacuum off any loose dust, to avoid soaking the dirt into the fabric while cleaning.

STEP 2: Mix your solution: 1 tablespoon of liquid dish washing liquid to 4 cups of water and mix well.

STEP 3: Don't forget your gloves. Dip your sponge into the solution, squeeze any excess liquid out and give the blinds a gentle scrub. Resist harsh scrubbing. Follow the grain of the fabric. Don't worry if the fabric becomes a bit sudsy. When you're satisfied with the results of the cleaning, wipe the soap off with a damp cloth. Dip the lint-free cloth in clean water (squeeze it to remove dripping water) and wipe off any extra soap on the blinds. Finally, let the blinds air dry.





WOVEN BLINDS: BAMBOO OR WOOD



Maintain a 45 degree sideways angle on the draw cord when pulling up or letting down.



When pulling up, a bubble effect may form above the roll – should this happen, give the draw cord a few sharp tugs and it will be corrected.

HOW TO CLEAN YOUR

WOVEN BLINDS: BAMBOO OR WOOD



Frequently dust front and back or use a low-power vacuum cleaner.



When exposed to heat and sun – an aerosol furniture wax may be used to avoid drying out of these natural materials.



QUALITY. INNOVATION. TRUST.



Duo Shutters are a preferred Taylor distributor in Port Elizabeth



208 Main Road, Walmer, Port Elizabeth | +27 (0) 41 180 4000 | office@duoproducts.co.za www.duoproducts.co.za

