

OFFICES & SHOWROOMS 208 Main Road, Walmer, Port Elizabeth | +27 (0) 41 180 4000 | office@duoproducts.co.za

www.duoproducts.co.za



Let the sunshine in.





Hurricane Aluminium Shutters were originally designed to protect windows and doors from storms and high winds without compromising the aesthetics of a home.

These stylish shutters, made entirely from aluminium, are not only good to look at but are functional, durable, won't rust, are easy to clean and therefore come with a 10 year warranty. As with ShutterGuard®, the folding, louvred shutters will open up a room as well as control light, noise and temperature.

TECHNICAL SPECIFICATIONS

UV Blockage:	100% when closed
Weight:	14 kg/m2
Min/Max Width:	250 - 850mm
Min/Max Height:	500 - 2900mm
Material:	Aluminium

TECHNICAL FEATURES

\odot	10 Year Warranty
->	Control of light, noise and temperature
\Diamond	Impervious to moisture
	Will not crack, split or warp
\bigcirc	Rust Proof
7	Easy to clean


TRACK OPTIONS

rack which	LIP C		
has a 'lip' ing up and er and lies nst the top to neaten it off.	rack which has a 'lip' ing up and er and lies nst the top he opening, to neaten		

NO LIP 🗆		
e top track		
fits in flush		
with the		
pening and		
esn't come		
ip and over		
he top wall		
opening.		

Top track with lip (To neaten uneven walls, window frames, gaps etc) Top track without lip

CONFIGURATIONS



Bi fold

Cottage

Cottage arch **Bi** nase (please note no bottom frame



NEW ergonomically designed turn bolt

STANDARD COLOURS









CUSTOM COLOURS

Custom colours are available, please speak to your sales representative. An additional fee will apply on all custom colours. Manufacture lead times require an extra 5 days.



Bottom track / raised Bottom track / recessed





Face fixed with top track (stands proud against the opening)



Reveal fixed with top track (set inside the vindow/door reveal

PIVOT OPTIONS



PIVO

either the extrem left or extreme righ shutter is fixed and does not move The other shutters herefore pivo this fixed p



Pivot. either left or right

Floating /hen stacked shut can move left or right)

HOW OUR RANGE **OF SHUTTERS STACK UP**







	ShutterGuard® Aluminium Security Shutters	Hurricane Aluminium Shutters	Thermowood® Shutters
Material	Aluminium	Aluminium	Extruded PVC (specially engineered wood substitute)
Internal use	\checkmark	~	✓
External use	~	~	×
Rustproof	\checkmark	~	✓
Deliver on security	~	 Only if you add Louvre Locks as an optional extra** 	×
Stackable	\checkmark	~	✓
Suitable for doors & windows	\checkmark	~	✓
Warranty	10 years	10 years	3 years
Colours *see below for custom colour timings and surcharge	Matte White, Matte Bronze, Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey	Matte White, Matte Bronze, Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey	Satin White, Magnolia, Lime Wash, Alu-White, Holland or Ash. No custom colours available.
Manufacture time Excluding delivery which requires 5 - 7 working days from our Cape Town factory.	2 weeks: Matte White, Matte Bronze 3 weeks: Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey Custom colours available*	2 weeks: Matte White, Matte Bronze 3 weeks: Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey Custom colours available*	2 weeks: All standard colours
Configurations	Bi-Fold, Bi-Pass, Slider, Cottage Style or Cottage Arch Frame configuration	Bi-Fold, Bi-Pass, Slider, Cottage Style or Cottage Arch Frame configuration	Bi-Fold, Bi-Pass, Cottage Style Frame, Cottage Arch Frame, Standard Frame or Decorative Frame. Available with centre located tilt rod or Clearview [®] options.
Sizes	Min-Max shutter width: 250-850mm Min-Max shutter height: 650-2900mm	Min-Max shutter width: 250-850mm Min-Max shutter height: 500-2900mm	Min-Max shutter width: 240-600mm Min-Max shutter height: 450-2900mm
Mechanism / Components	Supplied with hinges, brackets and tracks for smooth operation	Supplied with hinges, brackets and tracks for smooth operation	Supplied with Clearview $^{\textcircled{R}}$ (no tiltrod) or Tiltrod (middle of the louvres running vertical) and tracks for smooth operation
Accessories	Louvre Locks	Louvre Locks only as an optional extra**	
Light Control	Yes. New Astragal frame removes light gap between shutter panels.	New Astragal frame removes light gap between shutter panels. This is only applied as an optional extra **	Yes. Light control depends on the louvres tilt when closing/opening.
Privacy Control	85 - 100% (not possible to see through closed shutters)	85 - 100% (not possible to see through closed shutters)	85 - 100% (not possible to see through closed shutters)
Security	ShutterGuard [®] is a security shutter system. Patented Taylor 2-way aluminium Gear-Lock System. 6cm patented bolt secures shutters to the floor. 3.4cm bolt secures shutters to the top track.	Hurricane Shutters can only be considered a security shutter if a louvre lock is added. Should you wish to add lourvre locks you are able to, to secure your louvres shut.**	Thermowood $^{\ensuremath{\mathbb{R}}}$ is not a security shutter system.
		*Custom colours are available at a	surcharge and will add an extra 1 week to the lead time

*Custom colours are available at a surcharge and will add an extra 1 week to the lead time **Optional extras for Hurricane Shutters include: Astragal Frame to remove light gap between shutter panels and louvre locks to lock louvres.